

Refine Search

Search Results -

Terms	Documents
L116 and @ay<1999	41

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L117

Search History

DATE: Wednesday, July 06, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> <u>result</u> <u>set</u>
<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L117</u>	L116 and @ay<1999	41	<u>L117</u>
<u>L116</u>	l4 or l15	50	<u>L116</u>
<u>L115</u>	L113 and ((transmit\$ or send\$) with (code or id or pin or identifier)) same (determin\$ with service)	15	<u>L115</u>
<u>L114</u>	L113 and (determin\$ with service)	115	<u>L114</u>
<u>L113</u>	L112 and ((transmit\$ or send\$) with (code or id or pin or identifier))	298	<u>L113</u>
<u>L112</u>	L111 and ((valid\$ or authenticat\$ or verif\$) with (code or id or pin or identifier))	440	<u>L112</u>
<u>L111</u>	((pre-paid) or (pre adj paid) or (prepaid)) adj2 card	1518	<u>L111</u>
<u>L110</u>	L109 and ((calling or phone) adj card)	35	<u>L110</u>
<u>L109</u>	L108 and @ay<1999	312	<u>L109</u>
<u>L108</u>	L107 and ((transmit\$ or send\$ or forward\$ or communicat\$ or rout\$) with (determin\$ or check\$ or verify\$) with (balance or account))	479	<u>L108</u>

<u>L107</u>	(validat\$ or authenticat\$ or verif\$) adj5 (pin or code or id)	8891	<u>L107</u>
<u>L106</u>	6189787.pn.	1	<u>L106</u>
<u>L105</u>	L103 and (phone or calling or prepaid)	14	<u>L105</u>
<u>L104</u>	L103 and phone	7	<u>L104</u>
<u>L103</u>	L101 and ((valid\$ or author\$ or authenticat\$) with (pin or code or id))	27	<u>L103</u>
<u>L102</u>	L101 and (pin or code or id)	105	<u>L102</u>
<u>L101</u>	L100 and @ay<1999	123	<u>L101</u>
<u>L100</u>	(((multi or multiple) adj function) adj3 card) or (card with (access\$ or stor\$) with ((plural\$ or multi or multiple) adj accounts))	184	<u>L100</u>
<u>L99</u>	((multi or multiple) adj function) or ((plural\$ or multi or multiple) adj accounts) with card	15603	<u>L99</u>
<u>L98</u>	L97 and @ay<1999	27	<u>L98</u>
<u>L97</u>	((calling or pre-paid or prepaid) adj card) and ((plural\$ or multi or multiple) adj accounts)	52	<u>L97</u>
<u>L96</u>	((multi or multiple) adj function) with ((pre-paid) or (prepaid))	3	<u>L96</u>
<u>L95</u>	((multi or multiple) with function with (pre-paid) or (prepaid))	2350	<u>L95</u>
<u>L94</u>	L91 and (pin or code or id)	19	<u>L94</u>
<u>L93</u>	(starbuck\$.as. and coffee	8	<u>L93</u>
<u>L92</u>	(starbuck\$.as.	22	<u>L92</u>
<u>L91</u>	L90 and @ay<1999	22	<u>L91</u>
<u>L90</u>	(stor\$ with (plurality or multiple)) with ((pre-paid or prepaid or calling or phone) adj card)	35	<u>L90</u>
<u>L89</u>	L88 not (global adj crossing).as.	78	<u>L89</u>
<u>L88</u>	L87 not (link adj usa).as.	79	<u>L88</u>
<u>L87</u>	L86 not (linkusa).as.	80	<u>L87</u>
<u>L86</u>	L85 not (MCI Communications Corporation).as.	80	<u>L86</u>
<u>L85</u>	L84 and ((valid\$ or authenticat\$ or verif\$) with (code or pin or id))	140	<u>L85</u>
<u>L84</u>	L83 and @ay<1999	296	<u>L84</u>
<u>L83</u>	((prepaid or pre-paid or calling or phone) adj card) same ((long adj distance) or international)	426	<u>L83</u>
<u>L82</u>	L81 and @ay<1999	23	<u>L82</u>
<u>L81</u>	((prepaid or pre-paid or calling or phone) adj card) and ((determin\$ or select\$) with ((long distance) or international) with provider)	34	<u>L81</u>
<u>L80</u>	L79 and @ay<1999	296	<u>L80</u>
<u>L79</u>	((prepaid or pre-paid or calling or phone) adj card) and ((determin\$ or select\$) with ((long distance) or international))	473	<u>L79</u>
<u>L78</u>	L77 not health\$	41	<u>L78</u>
<u>L77</u>	L76 and card	53	<u>L77</u>
<u>L76</u>	L75 and phone	54	<u>L76</u>
<u>L75</u>	L74 not (isaac).in.	82	<u>L75</u>
<u>L74</u>	L73 not (global adj crossing).as.	88	<u>L74</u>
<u>L73</u>	L72 not (link adj usa)	88	<u>L73</u>
<u>L72</u>	L71 not (linkusa)	88	<u>L72</u>

<u>L71</u>	L70 and @ay<1999	100	<u>L71</u>
<u>L70</u>	L69 and (balance)	160	<u>L70</u>
<u>L69</u>	L68 and ((valid\$ or authenticat\$ or verif\$) with (code or pin or id))	519	<u>L69</u>
<u>L68</u>	(determin\$ with (service adj provider))	2070	<u>L68</u>
<u>L67</u>	(valid\$ adj computer) and (account\$ adj computer)	1	<u>L67</u>
<u>L66</u>	(valid\$ adj server) and (account\$ adj server)	2	<u>L66</u>
<u>L65</u>	(valid\$ adj database) and (account\$ adj database)	0	<u>L65</u>
<u>L64</u>	L61 and @ay<1999	28	<u>L64</u>
<u>L63</u>	L62 and @ay<1999	24	<u>L63</u>
<u>L62</u>	L61 and (call)	36	<u>L62</u>
<u>L61</u>	(valid\$ adj (computer or database or server)) and ((account\$ or bill\$) adj (server or database or computer))	41	<u>L61</u>
<u>L60</u>	L59 and ((account\$ or bill\$) adj (server or database or computer))	1	<u>L60</u>
<u>L59</u>	L56 and (valid\$ adj (computer or database or server))	12	<u>L59</u>
<u>L58</u>	L56 and ((valid\$ adj (computer or database or server)) same (code or pin or id))	6	<u>L58</u>
<u>L57</u>	L56 and ((valid\$ adj (computer or database or server)) with (code or pin or id))	3	<u>L57</u>
<u>L56</u>	(calling or pre-paid or prepaid) with (select\$ with (service or provider))	926	<u>L56</u>
<u>L55</u>	6141684.pn.	1	<u>L55</u>
<u>L54</u>	(determin\$ adj format) with (send\$ or transmit\$) with (content or file)	8	<u>L54</u>
<u>L53</u>	L50 and ((authen\$ or valid\$) with (pin or code or id or identifier))	9	<u>L53</u>
<u>L52</u>	L50 and ((authen\$ or vaid\$) with (pin or code or id or identifier))	2	<u>L52</u>
<u>L51</u>	L50 and (pin or code or id or identifier)	31	<u>L51</u>
<u>L50</u>	L45 not ((link adj usa) or (linkusa)).as.	31	<u>L50</u>
<u>L49</u>	L48 not (linkusa)	1	<u>L49</u>
<u>L48</u>	L47 not (link adj usa)	9	<u>L48</u>
<u>L47</u>	L46 not (global adj crossing)	12	<u>L47</u>
<u>L46</u>	L45 and L37	13	<u>L46</u>
<u>L45</u>	L44 not (MCI adj Communications adj Corporation).as.	42	<u>L45</u>
<u>L44</u>	L43 and @ay<1999	52	<u>L44</u>
<u>L43</u>	L42	71	<u>L43</u>
<u>L42</u>	L41 and (((pre-paid) or (prepaid) or (pre adj paid) or calling) adj2 card)	71	<u>L42</u>
<u>L41</u>	(determin\$ adj3 service) with ((rout\$ or transmit\$ or send\$) with ((service adj provider) or (service) or (long)))	1209	<u>L41</u>
<u>L40</u>	(determin\$ adj3 service) adj10 ((rout\$ or transmit\$ or send\$) with ((service adj provider) or (service) or (long)))	0	<u>L40</u>
<u>L39</u>	L38 and @ay<1999	22	<u>L39</u>
<u>L38</u>	L37 and L11	64	<u>L38</u>
<u>L37</u>	((valid\$ or authentic\$) adj2 (computer or circuit or database or server)) and ((account\$ or bill\$ or credit)adj2 (computer or circuit or database or server))	514	<u>L37</u>
<u>L36</u>	L35 and ((valid\$ or authenticat\$ or verif\$) with (code or id or pin or identifier))	16	<u>L36</u>

<u>L35</u>	L34 not L20	72	<u>L35</u>
<u>L34</u>	L33 not L28	72	<u>L34</u>
<u>L33</u>	L32 not L14	72	<u>L33</u>
<u>L32</u>	L31 and @ay<1999	129	<u>L32</u>
<u>L31</u>	L11 and (determin\$ with service)	258	<u>L31</u>
<u>L30</u>	L11 and (valid\$ same (determin\$ adj3 service))	8	<u>L30</u>
<u>L29</u>	L28 and @ay<1999	14	<u>L29</u>
<u>L28</u>	L27 and L11	38	<u>L28</u>
<u>L27</u>	((valid\$ or authenticat\$ or verif\$) with (code or id or pin or identifier)) same ((rout\$ or transmit\$ or send\$) with ((service adj provider) or (service) or (long)))	1020	<u>L27</u>
<u>L26</u>	L22 not (elliott and isaac and higgins).in.	31	<u>L26</u>
<u>L25</u>	L22 not (elliott and issac and higgins).in.	32	<u>L25</u>
<u>L24</u>	L22 not (elliott and issac and hogan).in.	32	<u>L24</u>
<u>L23</u>	L22 not (elliot).in.	32	<u>L23</u>
<u>L22</u>	L21 and ((pre-paid) or (pre adj paid) or (prepaid)) with services	32	<u>L22</u>
<u>L21</u>	L20 not L15	51	<u>L21</u>
<u>L20</u>	L14 and @ay<1999	57	<u>L20</u>
<u>L19</u>	L15 and @ay<1999	6	<u>L19</u>
<u>L18</u>	L17 and (@ay<1999)	1	<u>L18</u>
<u>L17</u>	5859897.pn. and (60 and 80)	1	<u>L17</u>
<u>L16</u>	5859897.pn. and (60 and 80a)	0	<u>L16</u>
<u>L15</u>	L13 and ((transmit\$ or send\$) with (code or id or pin or identifier)) same (determin\$ with service)	15	<u>L15</u>
<u>L14</u>	L13 and (determin\$ with service)	115	<u>L14</u>
<u>L13</u>	L12 and ((transmit\$ or send\$) with (code or id or pin or identifier))	298	<u>L13</u>
<u>L12</u>	L11 and ((valid\$ or authenticat\$ or verif\$) with (code or id or pin or identifier))	440	<u>L12</u>
<u>L11</u>	((pre-paid) or (pre adj paid) or (prepaid)) adj2 card	1518	<u>L11</u>
<u>L10</u>	((pre-paid) or (pre adj paid) or (prepaid)) adj2 card	1518	<u>L10</u>
<u>L9</u>	L8 and ((calling or phone) adj card)	35	<u>L9</u>
<u>L8</u>	L7 and @ay<1999	312	<u>L8</u>
<u>L7</u>	L6 and ((transmit\$ or send\$ or forward\$ or communicat\$ or rout\$) with (determin\$ or check\$ or verify\$) with (balance or account))	479	<u>L7</u>
<u>L6</u>	(validat\$ or authenticat\$ or verif\$) adj5 (pin or code or id)	8891	<u>L6</u>
<u>L5</u>	((pre-paid) or (pre adj paid) or (prepaid)) adj2 card	1518	<u>L5</u>
<u>L4</u>	L3 and ((calling or phone) adj card)	35	<u>L4</u>
<u>L3</u>	L2 and @ay<1999	312	<u>L3</u>
<u>L2</u>	L1 and ((transmit\$ or send\$ or forward\$ or communicat\$ or rout\$) with (determin\$ or check\$ or verify\$) with (balance or account))	479	<u>L2</u>
<u>L1</u>	(validat\$ or authenticat\$ or verif\$) adj5 (pin or code or id)	8891	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L9 and @ay<1999	29

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L10

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, July 06, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR

<u>L10</u>	L9 and @ay<1999	29	<u>L10</u>
<u>L9</u>	(phone with purchase) and (calling adj card) and account	50	<u>L9</u>
<u>L8</u>	L7 not (pay adj phone)	18	<u>L8</u>
<u>L7</u>	l6 not (payphone)	126	<u>L7</u>
<u>L6</u>	(pay adj2 phone) and (calling adj card)	144	<u>L6</u>
<u>L5</u>	L4 and @ay<1999	30	<u>L5</u>
<u>L4</u>	L3 and (payment with service)	55	<u>L4</u>
<u>L3</u>	(phone with account with service)	219	<u>L3</u>
<u>L2</u>	(phone with account with fee with service)	5	<u>L2</u>
<u>L1</u>	(phone adj services) with fee	2	<u>L1</u>

END OF SEARCH HISTORY